

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 90745

Lead acetate paper, refill pack

Page: 1/7

Printing date: 15.11.2021

Date of issue: 03.01.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

REF 90745
Product name Lead acetate paper, refill pack

REACH Registration number(s): see SECTION 3.1/3.2 or
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

3 x 5 m reel Lead acetate paper (5 g)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

Uses advised against

not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG
Valenciennner Str. 11, 52355 Düren, GERMANY
Tel.: +49 2421 969 0

E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.
DE: Gemeinsames Giftinformationszentrum (GGIZ) 99089 Erfurt tel. +49 361 730 730

You find our current versions of SDS (22 languages) in Internet:

<http://www.mn-net.com/SDS>

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

5 m reel Lead acetate paper (5 g)



GHS08

Signal word

DANGER

Hazard identification

H360D
H412

Hazard classes/categories

Repr. 1B
Aquatic Chronic 3

2.2 Label elements

According CLP directive inner packages must be only labelled with GHS symbol(s) and product identifier(s) (EU 1272/2008 Annex I - 1.5.1.2).

5 m reel Lead acetate paper (5 g)



GHS08

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 90745

Lead acetate paper, refill pack

Page: 2/7

Printing date: 15.11.2021

Date of issue: 03.01.2018

Signal word: DANGER

H360D, H412

May damage the unborn child. Harmful to aquatic life with long lasting effects.

P201, P280sh, P308+313, P405

Obtain special instructions before use. Wear protective gloves/eye protection. IF exposed or concerned: Get medical advice/attention. Store locked up.

2.3 Other hazards

Possible hazards from physicochemical properties

Information pertaining to particular risks to human and possible symptoms

May damage the unborn child. Can accumulate within the body.

-

Information pertaining to particular risks to the environment

Harmful to aquatic life with long lasting effects. Avoid contact of substance/mixture to environment.

PBT: not applicable

vPvB: not applicable

Other hazards

SECTION 3: Composition/information on ingredients

3.1 Substances or 3.2 Mixtures

5 m reel Lead acetate paper (5 g)

Chemical: *lead(II) acetate (trihydrate)*

CAS No.: 6080-56-4

Classification: H302, Acute Tox. 4 oral, H332, Acute Tox. 4 inh., H360Df, Repr. 1B, H373, STOT RE 2, H400,

Aquatic Acute 1, H410, Aquatic Chronic 1

Formula: $C_4H_6O_4Pb \cdot 3H_2O$

TSCA Inventory: not listed

REACH Reg. No.: 01-2119532202-56-xxxx

SVHC listed: listed (16/12/2013)

EC No.: 206-104-4

Indice No.: 082-005-00-8

RTECS: OF8050000

KE No.: Toxic 97-1-9

Concentration: 0.47 - <1.56 %

Correlation factor: x 0,64 (= %Pb)

The classification refers to weight percent of the metal (according to CLP Regulation 2008/1272/EC Annex VI, 1.1.3.2 Note 1)

acc. CLP (GHS): H360D, Repr. 1B, H412, Aquatic Chronic 3

Chemical: *filter paper (cellulose CAS 9004-34-6)*

CAS No.: -

Classification: No criteria for classification or naming of chemical not required.

Formula: $(C_6H_{10}O_5)_n$

TSCA Inventory: listed

REACH Reg. No.: exempt, Annex IV

EC No.: 232-674-9

RTECS: FJ5691460

KE No.: KE-05339

Concentration: 80 - <100 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

3.3 Remarks

List of H and P phrases: see section 16.1

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice.

4.1.1 After SKIN Contact

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 90745

Lead acetate paper, refill pack

Page: 3/7

Printing date: 15.11.2021

Date of issue: 03.01.2018

Remove dust with wetted tissue. Remove contaminated clothing. Rinse the affected skin or mucous membrane thoroughly under running water.

4.1.2 After EYE Contact

Rub dust with teardrops from eyes or: After contact with the eyes rinse thoroughly under running water with the eyelid wide open with eye washing bottle, eye douche or running water (protect intact eye).

4.1.3 After INHALATION of vapours

After inhalation of dust fresh air should be inhaled. ---

4.1.4 After ORAL Intake

After oral intake lots of water should be drunk after it has been ingested. ---

4.2 Most important symptoms and effects, both acute and delayed

CMR Effects: May damage the unborn child. Can accumulate within the body. ---

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.2 Special hazards arising from the substance or mixture

5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.

5.4 Additional information

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear suitable protective gloves (see 8.2.2). Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

6.2 Environmental precautions

not necessary, contains only small amounts of these substances

6.3 Methods and material for containment and cleaning up

And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water.

6.4 Reference to other sections

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

7.2 Conditions for safe storage, including any incompatibilities

The original product package of MACHEREY-NAGEL allows a safe storage. Products containing also toxic substances should be kept locked up.

Storage class (VCI):

6.1D

Water hazard class (DE):

3

7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage, so that they are not immediately accessible to outside parties.

7.3 Specific end use(s)

Product for analytical use.

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 90745

Lead acetate paper, refill pack

Page: 4/7

Printing date: 15.11.2021

Date of issue: 03.01.2018

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

5 m reel Lead acetate paper (5 g)

Chemical: *lead(II) acetate (trihydrate)*

CAS No.: 6080-56-4

EU value: [Pb, TWA] 0.15 mg/m³

TRGS 900 (DE): [Pb, 8h] 0.15 mg/m³

E/e respirable

Short-term exposure factor: (4)

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: [Pb] 0.1 e mg/m³

SUVA(CH) BAT value: [Pb] B/a 400 (m) / 100 (w) µg/L

TRGS 903 (DE): Pb B/a 400(m)/ 300(w) µg/L

B blood, U urine, a no limitation, b end of exposition or shift

NIOSH: NTP Report on Carcinogens (RoC) List Yes (Lead compound - Reasonably anticipated to be a human carcinogen)

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

Chemical: *filter paper (cellulose CAS 9004-34-6)*

CAS No.: -

TRGS 900 (DE): 1.25 A / 4 E mg/m³

E/e respirable

SUVA(CH) MAK value: 3 a mg/m³

NIOSH: not listed

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

8.2 Exposure controls

The highest level of cleanliness must be maintained at the workplace.

8.2.1 Respiratory protection

No additional recommendations.

8.2.2 Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

8.2.3 Eye protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection.

8.2.4 Skin protection

Recommended to avoid contamination with these hazards.

8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

5 m reel Lead acetate paper (5 g)

Appearance: solid

Colour: colourless

Odor: acetic

pH:

5-7

9.2 Other information

Relevant Properties of Substance Group

SECTION 10: Stability and reactivity

10.1 Reactivity

no further data available.

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 90745

Lead acetate paper, refill pack

Page: 5/7

Printing date: 15.11.2021

Date of issue: 03.01.2018

10.2 Chemical stability

No known instability.

10.3 Possibility of hazardous reactions

No further data available.

10.4 Conditions to avoid

Not necessary. ---

10.5 Incompatible materials

Avoid contact with concentrated acids and oxidizing agents. Avoid contact with strong acids or alkalines.

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Following information is valid for pure substances.

5 m reel Lead acetate paper (5 g)

Chemical:	<i>lead(II) acetate (trihydrate)</i>	CAS No.: 6080-56-4
TSCA Inventory:	not listed	California Proposition 65 List: listed cancer
Target Organs:	affect the reproductive capabilities incl. chromosomal damage (mutations) and effects on fetuses (tera.)	
Symptoms:	birth defects; sterility	
Australia NICNAS:	not listed	Canada CEPA 1999: not listed
Japan CSCL/PRTR:	not listed, Japan PDSC: Deleterious Substance, PRTR: >0,1% Pb specific class I	
Japan ISHL:	listed ≥0,3%/≥0,1%, Article 57-1+2 (Labelling&SDS required)	
Korea Exist.Chem.Inventory:	Toxic 97-1-9	
LD50 _{orl rat} :	4665 mg/kg	
LC ₅₀ _{LoWorl hmn} :	714 mg/kg	

Carcinogenic Effects: May damage the unborn child.

EU carcinogen:	R _D 1A, R _F 2
TRGS 905 (DE):	R _E 1, R _F 3A(4/5)

Chemical:	<i>filter paper (cellulose CAS 9004-34-6)</i>	CAS No.: -
TSCA Inventory:	listed	California Proposition 65 List: not listed
Australia NICNAS:	not listed	Canada CEPA 1999: DSL yes
Japan CSCL/PRTR:	not listed, Japan PDSC: not listed	
Japan ISHL:	not listed	
South Korea TCCA:	not listed	
Korea Exist.Chem.Inventory:	KE-05339	
LD50 _{orl rat} :	>5000 mg/kg	
LC50 _{ihl rat} :	>5800 _{4h} mg/m ³	
LD50 _{drm rbt} :	>2000 mg/kg	

SECTION 12: Ecological information

12.1 Toxicity

Following information is valid for pure substances.

5 m reel Lead acetate paper (5 g)

Chemical:	<i>lead(II) acetate (trihydrate)</i>	CAS No.: 6080-56-4
Harmful to aquatic life with long lasting effects. Avoid contact of substance/mixture to environment.		
Environmental hazards must not be labelled with P phrases until 125 mL (EU 1272/2008 Annex I - 1.5.2).		
Water hazard class (DE):	3	WGK No.: 0036
Immision limit:	100 mg/m ³	
Storage class (VCI):	6.1 D	

Chemical:	<i>filter paper (cellulose CAS 9004-34-6)</i>	CAS No.: -
Water hazard class (DE):	nwg	
Storage class (VCI):	11	

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 90745

Lead acetate paper, refill pack

Page: 6/7

Printing date: 15.11.2021

Date of issue: 03.01.2018

12.2 Persistence and degradability

not necessary

12.3 Bioaccumulative potential

not necessary

12.4 Mobility in soil

not necessary

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no additional data available

SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06). Close container tightly.

13.1 Waste treatment methods

SECTION 14: Transport information

14.1 - 14.4: No dangerous goods according to the transport regulations

14.5 Environmental hazards

none, contains only small amounts of these substances

14.6 Special precautions for user

not necessary

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013
German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung - GefStoffV), revised on November 2010, according to Directive 98/24/EC
TRGS 200, German engineering rules governing the classification and labelling of hazardous substances, preparations and products, updated October 2011
MN Leaflet/User manual, also see www.mn-net.com
Look for your country-specific regulations.

15.2 Chemical safety assessment

not necessary for these small amounts ---

SECTION 16: Other information

16.1 List of H and P phrases

16.1.1 List of relevant H phrases

H360D May damage the unborn child.
H412 Harmful to aquatic life with long lasting effects.

16.1.2 List of relevant P phrases

P201 Obtain special instructions before use.
P273 Avoid release to the environment.
P280sh Wear protective gloves/eye protection.
P308+313 IF exposed or concerned: Get medical advice/attention.
P405 Store locked up.

16.2 Training advice

Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 90745

Lead acetate paper, refill pack

Page: 7/7

Printing date: 15.11.2021

Date of issue: 03.01.2018

16.3 Recommended restriction on use

Only for professional user.

Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!

Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)!

An individual package of this product or test kit has a moderate hazardous potential.

16.4 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS

Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress

Regulation 669/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress

Regulation 1480/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress

Regulation 849/2021/EU, 4th adaptation of CLP regulation to technical and scientific progress

TRGS 900, German engineering rules governing limits in air at work, updated 03/2019

SUVA .CH, Limits in air at work 2009, revised on 01.2009

Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work

TRGS 905, German engineering rules governing carcinogens and mutagens, updated 03/18

KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU